

Delphion

RESEARCH

INTEGRATED IAM

SERVICES

INSIDE DELPHION

[Log Out](#) | [Work Files](#) | [Saved Searches](#) | [My Account](#) | [Products](#) | [News](#) | [Events](#) | Search: [Quick/Number](#) | [Boolean](#) | [Advanced](#) | [Help](#)

## The Delphion Integrated View

Buy Now: [More choices...](#)Tools: Add to Work File: [Create new Work File](#) View: Jump to: [Top](#) ☒☒ [Email this to a friend](#)

🔍 Title: **JP2000106209A2: NONAQUEOUS ELECTROLYTE AND NONAQUEOUS ELECTROLYTE SECONDARY BATTERY**

🔍 Country: **JP Japan**

🔍 Kind: **A2 Document Laid open to Public inspection**

🔍 Inventor: **HAYASHI TAKASHI;  
TAN HIROAKI;**

🔍 Assignee: **MITSUI CHEMICALS INC**  
[News, Profiles, Stocks and More about this company](#)

🔍 Published / Filed: **April 11, 2000 / Sept. 30, 1998**

🔍 Application Number: **JP1998000278262**

🔍 IPC Code: **H01M 10/40;**

🔍 Priority Number: **Sept. 30, 1998 JP1998000278262**

🔍 Abstract:

**PROBLEM TO BE SOLVED:** To provide a nonaqueous electrolyte which is superior in safety and in battery characteristics by constituting with a nonaqueous solvent containing a fluorine-containing aromatic compound, and an electrolyte.


**SOLUTION:** A fluorine-containing aromatic compound is a compound represented by the formula I. In the formula, X is a 1-10C hydrocarbon group or a 0-10C group containing at least one of an oxygen atom, a sulfur atom, a nitrogen atom, and a phosphorous atom, or a chlorine atom, a bromine atom, an iodine atom, and Y is 1-5C fluorine-containing hydrocarbon group containing at least one fluorine atom,  $n=1-5$ ,  $m=0-3$ , and  $m+n \leq 6$ . A nonaqueous solvent preferably contains a cyclic carbonate containing a 2-5C alkylene group and/or chain carbonate containing a 1-5C hydrocarbon group. For example, ethylene carbonate and dimethyl carbonate are listed. An electrolyte is preferably to be one selected from among  $\text{LiPF}_6$ ,  $\text{LiBF}_4$ ,  $\text{LiOSO}_2$ , and compounds of the formula II, formula III, and formula IV (R1-8 are a 1-6C perfluoroalkyl group). The nonaqueous electrolyte containing the nonaqueous solvent has low reactivity with a positive electrode.

**COPYRIGHT:** (C)2000,JPO

🔍 Family: **None**

🔍 Other Abstract: **None**

Info:



[Nominate](#)

[this for the Gallery...](#)





(19)

(11) Publication number: **2000106209 A**

Generated Document.

**PATENT ABSTRACTS OF JAPAN**(21) Application number: **10278262**(51) Intl. Cl.: **H01M 10/40**(22) Application date: **30.09.98**

(30) Priority: (43) Date of application publication: <b>11.04.00</b> (84) Designated contracting states:	(71) Applicant: <b>MITSUI CHEMICALS INC</b> (72) Inventor: <b>HAYASHI TAKASHI</b> <b>TAN HIROAKI</b> (74) Representative:
--	--

**(54) NONAQUEOUS  
ELECTROLYTE AND  
NONAQUEOUS  
ELECTROLYTE  
SECONDARY BATTERY**

(57) Abstract:

**PROBLEM TO BE SOLVED:** To provide a nonaqueous electrolyte which is superior in safety and in battery characteristics by constituting with a nonaqueous solvent containing a fluorine-containing aromatic compound, and an electrolyte.


**SOLUTION:** A fluorine-containing aromatic compound is a compound represented by the formula I. In the formula, X is a 1-10C hydrocarbon group or a 0-10C group containing at least one of an oxygen atom, a sulfur atom, a nitrogen atom, and a phosphorous atom, or a chlorine atom, a bromine atom, an iodine atom, and Y is 1-5C fluorine-containing hydrocarbon group containing at least one fluorine atom,  $n=1-5$ ,  $m=0-3$ , and  $m+n \leq 6$ . A nonaqueous solvent preferably contains a cyclic carbonate containing a 2-5C alkylene group

and/or chain carbonate containing a 1-5C hydrocarbon group. For example, ethylene carbonate and dimethyl carbonate are listed. An electrolyte is preferably to be one selected from among LiPF<sub>6</sub>, LiBF<sub>4</sub>, LiOSO<sub>2</sub>, and compounds of the formula II, formula III, and formula IV (R<sub>1</sub>-8 are a 1-6C perfluoroalkyl group). The nonaqueous electrolyte containing the nonaqueous solvent has low reactivity with a positive electrode.


COPYRIGHT: (C)2000,JPO




I



II



III



IV